










ASA Non-Approved Bat List with ASA Certification Mark

August 8, 2014

This list depicts the previously ASA certified bats that failed an ASA sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. This list is intended for informational purposes only.

Manufacturer	Bat Name
Bass	Quake
	
Combat	VIRSP3 Lady Virus
	
Easton	SCX2 Synergy
	
Easton	SCX22 Synergy 2
	
Louisville Slugger	FP136
	
Louisville Slugger	FP1368
	
Louisville Slugger	FP1369
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Louisville Slugger	FPC305 Catalyst (-8)
	
Louisville Slugger	SB304
	
Louisville Slugger	SB34 Genesis
	
Louisville Slugger	SB404
	
Louisville Slugger	SB73V TPS Voltage
	
Miken	MSF Freak
	
Miken	MSU Ultra
	
Miken	MSU2 Ultra II
	









ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Miken	MSUM Ultra Maxload
	
Nokona	Tomahawk
	
Schutt	Red/Silver Schutt Bat
	
Worth	EST9
	
Worth	QESTFP
	
Worth	SBWK(Wicked)
	
Worth	SBWKA
	
Worth	WWSC Wicked Comp. (SP Only)
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Worth	WWSCA
	
Worth	XEST9X
	
Worth	XGold
	
Worth	XPST4
	
Worth	XRed
	
Worth	XWICKX Wicked (SP Only)
	

For a complete list of approved bats go to the certified equipment section of www.asasoftball.com
Last Updated: April 11, 2014